

**To:** Mahler, Tom[mahler.tom@epa.gov]  
**From:** Monnig, Rob  
**Sent:** Fri 12/16/2016 8:49:50 PM  
**Subject:** Bridgeton Dust QAPP  
QAPP for Pre-CERCLIS Screening at Bridgeton Dust Site 2016 12 16.doc

Tom – I haven't seen Todd's comments yet. But here's the latest. We're having a small holiday work function this afternoon, so I might have to look at Todd's comments later this evening or tomorrow (which is no problem). Obviously if it's something minor and you just want to change it before sending for review—feel free. I'll continue with the last internal review so that it can be ready for signature on Monday.

Rob

**Rob Monnig, PE | Chemical Engineer**

415 Oak Street | Kansas City, Missouri 64106 | [www.tetratech.com](http://www.tetratech.com)  
Direct: 816.412.1775 | Main: 816.412.1741 | Mobile: 816.729.5621 | Fax: 816.410.1748

**Tetra Tech | Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.